

Appl. No. : 10/063,553
Filed : May 2, 2002

AMENDMENTS TO THE CLAIMS

1. Cancelled
2. Cancelled
3. Cancelled
4. **(Currently Amended)** An isolated polypeptide having at least 95% amino acid sequence identity to:
 - (a) the amino acid sequence of the polypeptide of SEQ ID NO: 48;
 - ~~(b) the amino acid sequence of the polypeptide of SEQ ID NO: 48, lacking its associated signal peptide;~~
 - ~~(c) the amino acid sequence of the extracellular domain of a portion of the amino acid sequence of the polypeptide of SEQ ID NO: 48 selected from the group consisting of amino acids 32-49 and amino acids 111-190; or~~
 - ~~(d) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 48, including its associated signal peptide; or~~
 - ~~(e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203018;~~wherein said extracellular domain is selected from the group consisting of amino acids 32-49 and amino acids 111-190 of SEQ ID NO: 48; and
wherein said isolated polypeptide is more highly expressed in normal stomach tissue or rectum tumor compared to stomach tumor or normal rectum tissue respectively, or wherein said isolated polypeptide is encoded by a polynucleotide that is more highly expressed in normal stomach tissue or rectum tumor compared to stomach tumor or normal rectum tissue respectively.
5. **(Currently Amended)** The isolated polypeptide of Claim 4 having at least 99% amino acid sequence identity to:
 - (a) the amino acid sequence of the polypeptide of SEQ ID NO: 48;
 - ~~(b) the amino acid sequence of the polypeptide of SEQ ID NO: 48, lacking its associated signal peptide;~~

Appl. No. : 10/063,553
Filed : May 2, 2002

~~(e) — (b) the amino acid sequence of the extracellular domain of a portion of the amino acid sequence of the polypeptide of SEQ ID NO: 48 selected from the group consisting of amino acids 32-49 and amino acids 111-190; or~~

~~(d) — the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 48, including its associated signal peptide; or~~

~~(e) — (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203018;~~

~~wherein said extracellular domain is selected from the group consisting of amino acids 32-49 and amino acids 111-190 of SEQ ID NO: 48; and~~

wherein said isolated polypeptide is more highly expressed in normal stomach tissue or rectum tumor compared to stomach tumor or normal rectum tissue respectively, or wherein said isolated polypeptide is encoded by a polynucleotide that is more highly expressed in normal stomach tissue or rectum tumor compared to stomach tumor or normal rectum tissue respectively.

6. **(Currently Amended)** An isolated polypeptide comprising:

(a) the amino acid sequence of the polypeptide of SEQ ID NO: 48;

~~(b) — the amino acid sequence of the polypeptide of SEQ ID NO: 48, lacking its associated signal peptide;~~

~~(e) — (b) the amino acid sequence of the extracellular domain of a portion of the amino acid sequence of the polypeptide of SEQ ID NO: 48 selected from the group consisting of amino acids 32-49 and amino acids 111-190; or~~

~~(d) — the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 48, including its associated signal peptide; or~~

~~(e) — (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203018;~~

~~wherein said extracellular domain is selected from the group consisting of amino acids 32-49 and amino acids 111-190 of SEQ ID NO: 48.~~

7. **(Previously Presented)** The isolated polypeptide of Claim 6 comprising the amino acid sequence of the polypeptide of SEQ ID NO: 48.

8. **(Cancelled)**

Appl. No. : 10/063,553
Filed : May 2, 2002

9. (Currently Amended) The isolated polypeptide of Claim 6 comprising the ~~amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 48, wherein said extracellular domain is~~ a portion of the amino acid sequence of the polypeptide of SEQ ID NO: 48 selected from the group consisting of amino acids 32-49 and amino acids 111-190 ~~of SEQ ID NO: 48.~~

10. (Cancelled)

11. (Original) The isolated polypeptide of Claim 6 comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203018.

12. (Previously Presented) A chimeric polypeptide comprising a polypeptide according to Claim 4 fused to a heterologous polypeptide.

13. (Previously Presented) The chimeric polypeptide of Claim 12, wherein said heterologous polypeptide is a tag polypeptide or an Fc region of an immunoglobulin.

14. (Currently Amended) An isolated polypeptide having at least 95% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide of SEQ ID NO: 48;

~~(b) the amino acid sequence of the polypeptide of SEQ ID NO: 48, lacking its associated signal peptide;~~

~~(e) (b)~~ the amino acid sequence of the extracellular domain a portion of the amino acid sequence of the polypeptide of SEQ ID NO: 48 selected from the group consisting of amino acids 32-49 and amino acids 111-190; or

~~(d) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 74, including its associated signal peptide; or~~

~~(e) (c)~~ the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203018;

~~wherein said extracellular domain is selected from the group consisting of amino acids 32-49 and amino acids 111-190 of SEQ ID NO: 48; and~~

wherein said isolated polypeptide or a fragment thereof can be used to generate an antibody which can be used to specifically detect the polypeptide of SEQ ID NO: 48 in stomach or rectum tissue samples.

Appl. No. : 10/063,553
Filed : May 2, 2002

15. (Currently Amended) The isolated polypeptide of Claim 14 having at least 99% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide of SEQ ID NO: 48;

~~(b) the amino acid sequence of the polypeptide of SEQ ID NO: 48, lacking its associated signal peptide;~~

~~(e) (b) the amino acid sequence of the extracellular domain a portion of the amino acid sequence of the polypeptide of SEQ ID NO: 48 selected from the group consisting of amino acids 32-49 and amino acids 111-190; or~~

~~(d) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 74, including its associated signal peptide; or~~

~~(e) (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203018;~~

~~wherein said extracellular domain is selected from the group consisting of amino acids 32-49 and amino acids 111-190 of SEQ ID NO: 48; and~~

wherein said isolated polypeptide or a fragment thereof can be used to generate an antibody which can be used to specifically detect the polypeptide of SEQ ID NO: 48 in stomach or rectum tissue samples.

16. (Previously Presented) A chimeric polypeptide comprising a polypeptide according to Claim 14 fused to a heterologous polypeptide.

17. (Previously Presented) The chimeric polypeptide of Claim 16, wherein said heterologous polypeptide is a tag polypeptide or an Fc region of an immunoglobulin.